Index to the 1980 Southern Journal of Applied Forestry

The numbers which appear after index entries refer to the intial page of the relevant article. All trees are listed by common name; scientific names appear in parentheses.

Aerial photography, *143*
Alig, Ralph J., *60*
Analysis of a Virginia pine seed source trial in the interior South, 153
Annosus root rot (*Fomes annosus* (Fr.) Karst.), *15*
Annual brush control increases early growth of loblolly pine, 67
Appalachians, *25, 193, 201*
Assessing the accuracy of a sectional pole, haga altimeter, and alti-level for determining total height of young coniferous stands, 136

Baldcypress (*Taxodium distichum*), *122*
Bell, John F., *136*
Beltz, Roy C., *115*
Biomass, *25*
Birds, *174*
Bitter pecan (*Carya aquatica*), *122*
Black cherry (*Prunus scrotina* Ehrh.), *49*
Black oak (*Quercus velutina* Lam.), *73*
Black tupelo (*Nyssa sylvatica* L.), *73*
Bottomland, *122*
Bourland, Thomas R., *122*
Bowers, John R., *107*
Brister, G. H., *139*
Brown-spot needle blight (*Scirrhia acicola* Dearn.), *15*
Bryan, W. Craig, *151*
Burkhart, Harold E., *166*
Brush control, *67*

Cain, M. D., *67*
Campbell, T. E., *147*
Cao, Quang V., *166*
Carpenter, S. B., *19*
Chang, Sun Joseph, *66*
Chappel, L. C., *98*
Cherem, Gabriel J., *94*
Clutter, J. L., *139*
Coastal Plain, *84, 139, 166*
Cold storage, *188*
Common privet (*Forestiera acuminata* Michx.), *73*
Conner, Richard N., *174*
Costs of hazard-reduction burning on southern national forests, 12
Cottonwood (*Populus deltoides* Bartr.), *80, 122, 180*
Cover crops, *151*
Crow, A. Bigler, *15*
Cubic-foot volume of loblolly pine to any height limit, *166*
Cumberland Plateau, *158*
Current use of remote sensing by foresters in the South, 143
Cutting practices, *193*

Daniels, K. R., Jr., *185*
Death taxes, *88*
Deer, *98*
Deer habitat on the Ocala National Forest: Improvement through forest management, 98
Dickson, James G., *174*
Direct-seeded and planted loblolly and slash pine on a hardwood-dominated site yield similar 15-year results, 147
Dominant height growth and site index curves for loblolly pine plantations in the Carolina flatwoods, 54
Douglas-fir (*Pseudo tsuga menziesii* Mirb.), *136*

Eastern white pine (*Pinus strobus* L.), *36, 158*
Effects of root-curling on loblolly pine, 45
Effects of subzero Fahrenheit temperatures on southern pine beetle populations in the southern Appalachians, 201
Electronic technology speeds forest survey, 115
Endomycorrhizal fungus inoculum, *151*
Estate tax, *88*
Ethylene adversely affects Fraser fir planting stock in cold storage, 188
Eucalypts, *169*
Evaluation of four uneven-age cutting practices in central Appalachian hardwood, An, 193
Expanding options for reforestation of the Cumberland Plateau, 158

Fall *fertilization helps longleaf pine nursery stock, 132*
Farnham, Keith, *189*
Fertilization, *49, 84, 132*
Fifteen years of cottonwood plantation growth and yield, 180
Figueroa, Julio C., *169*
Fire, *12, 15*
Five-year-old cottonwood plantation on a clay site: growth, yield, and soil properties, 80
Flatwoods, *54, 139*
Flick, Warren A., *107*
Flowering dogwood (*Cornus florida* L.), *73*
Ford, E. C., III, *25*
Forest management and sediment production in the South—review, 27
Forest survey, *84, 115*
Forest trails, *94*
Fraser fir (Abies fraseri (Pursh) Poir.), *188*
Fumigation, *40*
Fusiform rust (*Cronartium fusiforme* Hedg. & Hunt ex Cumm.), *15, 60*

Gjerstad, Dean H., *36, 40*
Goetzl, Alberto, *2*
Gourley, Robert, *136*
Graves, D. H., *19*
Green ash (*Faxinus pennsylvanica*), *122*
Growth and survival of planted northern red oak seedlings in West Virginia, 49
Growth and yield, *80, 139, 180*
Growth of loblolly pine with roots planted in five configurations, 70

Hammitt, William E., *94*
Haney, Harry L., Jr., *88*
Hardwood density and species composition in bottomland areas treated for regeneration, 122
Hardwoods, *19, 25, 49, 73, 80, 98, 122, 147, 151, 158, 169, 180, 185, 193*
Harlow, R. F., *98*
Harris, Harold E., *77*
Herbicides, *36, 40, 73*
Hickory (*Carya spp.*), *73*
High-quality logs: saw or sell—a simplified analysis, 66
Hiking, *94*
Hinesley, L. Eric, *132, 188*
Holt, H. A., *73*
Hunter, Serena C., *45*
Hurst, George A., *122*
Hypo-hatchet injector, *73*

Identification *of lower Coastal Plain sites of low soil fertility, 84*
Impact of state death taxes on the private nonindustrial forest landowner in the South, The, 88
Increasing endomycorrhizal fungus inoculum in forest nursery soil with cover crops, 151

Johnson, R. L., *180*

Keith, George C., *115*
Kennedy, H. E., Jr., *80*
Kodama, H. E., *118*
Kormanik, Paul P., *151*
Kossuth, S. V., *73*
Krinard, R. M., *80, 180*
Ku, Timothy T., *103*

Legg, Michael, *189*
Linnartz, Norwin E., *77*
Loblolly pine (*Pinus taeda* L.), *15, 36, 45, 54, 60, 67, 70, 107, 118, 127, 147, 153, 158, 162, 166*
Loblolly pine plantations in southern highlands: some financial guides, 107
Loblolly pine stocking levels affect potential for southern pine beetle infestation, 162
Long, Ernest M., *127*
Long-term effects of early pruning and thinning treatments on growth of natural longleaf pine, 77
Longleaf pine (*Pinus palustris* Mill.), *15, 36, 60, 77, 98, 132*
Lorio, Peter L., Jr., *162*

Maki, T. E., *45, 132*
Mann, W. F., Jr., *67*
Mead, Roy A., *143*
Miller, Edwin, *189*
Mills, Thomas J., *60*
McGee, Charles E., *158*
Most soil bank plantings in the South have been retained: some need follow-up treatments, 60

Index to the 1980 Southern Journal of Applied Forestry

The numbers which appear after index entries refer to the intial page of the relevant article. All trees are listed by common name; scientific names appear in parentheses.

Aerial photography, *143*
Alig, Ralph J., *60*
Analysis of a Virginia pine seed source trial in the interior South, 153
Annosus root rot (*Fomes annosus* (Fr.) Karst.), *15*
Annual brush control increases early growth of loblolly pine, 67
Appalachians, *25, 193, 201*
Assessing the accuracy of a sectional pole, haga altimeter, and alti-level for determining total height of young coniferous stands, 136

Baldcypress (*Taxodium distichum*), *122*
Bell, John F., *136*
Beltz, Roy C., *115*
Biomass, *25*
Birds, *174*
Bitter pecan (*Carya aquatica*), *122*
Black cherry (*Prunus scrotina* Ehrh.), *49*
Black oak (*Quercus velutina* Lam.), *73*
Black tupelo (*Nyssa sylvatica* L.), *73*
Bottomland, *122*
Bourland, Thomas R., *122*
Bowers, John R., *107*
Brister, G. H., *139*
Brown-spot needle blight (*Scirrhia acicola* Dearn.), *15*
Bryan, W. Craig, *151*
Burkhart, Harold E., *166*
Brush control, *67*

Cain, M. D., *67*
Campbell, T. E., *147*
Cao, Quang V., *166*
Carpenter, S. B., *19*
Chang, Sun Joseph, *66*
Chappel, L. C., *98*
Cherem, Gabriel J., *94*
Clutter, J. L., *139*
Coastal Plain, *84, 139, 166*
Cold storage, *188*
Common privet (*Forestiera acuminata* Michx.), *73*
Conner, Richard N., *174*
Costs of hazard-reduction burning on southern national forests, 12
Cottonwood (*Populus deltoides* Bartr.), *80, 122, 180*
Cover crops, *151*
Crow, A. Bigler, *15*
Cubic-foot volume of loblolly pine to any height limit, *166*
Cumberland Plateau, *158*
Current use of remote sensing by foresters in the South, 143
Cutting practices, *193*

Daniels, K. R., Jr., *185*
Death taxes, *88*
Deer, *98*
Deer habitat on the Ocala National Forest: Improvement through forest management, 98
Dickson, James G., *174*
Direct-seeded and planted loblolly and slash pine on a hardwood-dominated site yield similar 15-year results, 147
Dominant height growth and site index curves for loblolly pine plantations in the Carolina flatwoods, 54
Douglas-fir (*Pseudo tsuga menziesii* Mirb.), *136*

Eastern white pine (*Pinus strobus* L.), *36, 158*
Effects of root-curling on loblolly pine, 45
Effects of subzero Fahrenheit temperatures on southern pine beetle populations in the southern Appalachians, 201
Electronic technology speeds forest survey, 115
Endomycorrhizal fungus inoculum, *151*
Estate tax, *88*
Ethylene adversely affects Fraser fir planting stock in cold storage, 188
Eucalypts, *169*
Evaluation of four uneven-age cutting practices in central Appalachian hardwood, An, 193
Expanding options for reforestation of the Cumberland Plateau, 158

Fall *fertilization helps longleaf pine nursery stock, 132*
Farnham, Keith, *189*
Fertilization, *49, 84, 132*
Fifteen years of cottonwood plantation growth and yield, 180
Figueroa, Julio C., *169*
Fire, *12, 15*
Five-year-old cottonwood plantation on a clay site: growth, yield, and soil properties, 80
Flatwoods, *54, 139*
Flick, Warren A., *107*
Flowering dogwood (*Cornus florida* L.), *73*
Ford, E. C., III, *25*
Forest management and sediment production in the South—review, 27
Forest survey, *84, 115*
Forest trails, *94*
Fraser fir (Abies fraseri (Pursh) Poir.), *188*
Fumigation, *40*
Fusiform rust (*Cronartium fusiforme* Hedg. & Hunt ex Cumm.), *15, 60*

Gjerstad, Dean H., *36, 40*
Goetzl, Alberto, *2*
Gourley, Robert, *136*
Graves, D. H., *19*
Green ash (*Faxinus pennsylvanica*), *122*
Growth and survival of planted northern red oak seedlings in West Virginia, 49
Growth and yield, *80, 139, 180*
Growth of loblolly pine with roots planted in five configurations, 70

Hammitt, William E., *94*
Haney, Harry L., Jr., *88*
Hardwood density and species composition in bottomland areas treated for regeneration, 122
Hardwoods, *19, 25, 49, 73, 80, 98, 122, 147, 151, 158, 169, 180, 185, 193*
Harlow, R. F., *98*
Harris, Harold E., *77*
Herbicides, *36, 40, 73*
Hickory (*Carya spp.*), *73*
High-quality logs: saw or sell—a simplified analysis, 66
Hiking, *94*
Hinesley, L. Eric, *132, 188*
Holt, H. A., *73*
Hunter, Serena C., *45*
Hurst, George A., *122*
Hypo-hatchet injector, *73*

Identification *of lower Coastal Plain sites of low soil fertility, 84*
Impact of state death taxes on the private nonindustrial forest landowner in the South, The, 88
Increasing endomycorrhizal fungus inoculum in forest nursery soil with cover crops, 151

Johnson, R. L., *180*

Keith, George C., *115*
Kennedy, H. E., Jr., *80*
Kodama, H. E., *118*
Kormanik, Paul P., *151*
Kossuth, S. V., *73*
Krinard, R. M., *80, 180*
Ku, Timothy T., *103*

Legg, Michael, *189*
Linnartz, Norwin E., *77*
Loblolly pine (*Pinus taeda* L.), *15, 36, 45, 54, 60, 67, 70, 107, 118, 127, 147, 153, 158, 162, 166*
Loblolly pine plantations in southern highlands: some financial guides, 107
Loblolly pine stocking levels affect potential for southern pine beetle infestation, 162
Long, Ernest M., *127*
Long-term effects of early pruning and thinning treatments on growth of natural longleaf pine, 77
Longleaf pine (*Pinus palustris* Mill.), *15, 36, 60, 77, 98, 132*
Lorio, Peter L., Jr., *162*

Maki, T. E., *45, 132*
Mann, W. F., Jr., *67*
Mead, Roy A., *143*
Miller, Edwin, *189*
Mills, Thomas J., *60*
McGee, Charles E., *158*
Most soil bank plantings in the South have been retained: some need follow-up treatments, 60

Mulching, *60*

Northern red oak (*Quercus rubra* L.), *49*
Nurseries, *36, 40, 132, 151, 188*
Nursery weed control with herbicides or fumigation—an economic evaluation, 40
Nutrient cycling, *118, 132*
Nuttall oak (*Quercus nuttallii*), *122*

Oderwald, R. G., *25*
Olson, Scott C., *88*
Overcup oak (*Quercus lyrata*), *122*
Oxyfluorfen: an effective herbicide for southern pine nurseries, 36

Paluownia *spp., 19*
Paulownia—a crop tree for wood products and reclamation of surface-mined land, 19
Piedmont, *166*
Pienaar, Leon V., *54*
Persimmon (*Diospyros virginiana*), *122*
Photographic perceptions as an on-site tool for designing forest trails, 94
Photography, *94, 143*
Pines (*Pinus spp.*), *15, 36, 45, 54, 60, 67, 70, 77, 98, 103, 107, 118, 127, 132, 136, 139, 147, 153, 158, 162, 166, 201*
Plantations, *54, 60, 80, 107, 118, 127, 139, 166, 180*
Post oak (*Quercus stellata* Wangenh.), *73*
Prescribed burning, *12, 15, 118*
Prescribed burning and nutrient cycling relationships in young loblolly pine plantations, 118
Prism cruising, *25*
Prism cruising coefficients for Appalachian hardwoods biomass, 25
Pruning, *49, 77*
Puerto Rico, *169*

Ragenovich, Iral, *201*
Ralston, C. W., *84*
Rasberry, D. Ann, *143*
Reclamation, surface-mined lands, *19*
Recreation, *94, 189*
Red maple (*Acer rubrum* L.), *49, 73*
Regeneration, *122, 151, 158*
Relative abundance of breeding birds in forest stands of the Southeast, 174
Remote sensing, *143*
Richter, D. D., *84*
Roads, forest, *2, 27*
Root deformation *45, 70*

Saltveit, Mikal E., Jr., *188*
Sand pine (*Pinus clausa* (Chapm. ex Engelm.) Vasey ex Sarg.), *98*
Sanders, B. A., *98*
Sarigumba, T. I., *185*
Schultz, Richard C., *151*
Scrub oak (*Quercus spp.*), *98*
Seed sources, *127, 153*
Shackelford, Robert L., *60*
Shelburne, Victor B., *103*
Shilling, Charles L., *15*
Shiver, Barry D., *54*
Shortleaf pine (*Pinus echinata* Mill.), *15, 36*
Siegel, William C., *2*
Site and stand conditions associated with southern pine beetle outbreaks in Arkansas—a hazard-rating system, 103
Site preparation, *54, 158, 185*
Skinner, T. M., *139*
Slash pine (*Pinus elliottii* Engelm.), *15, 36, 60, 139, 147*
Smith, H. Clay, *193*
Soil bank plantings, *60*
Soil restoration on deteriorated campsites in east Texas, 189
Soils, *2, 27, 54, 80, 84, 151, 185, 189*
South, David B., *36, 40*
Southern highlands, *107*
Southern pine beetle (*Dendroctonus frontalis*, Zimm.), *103, 162, 201*
Southern red oak (*Quercus falcata* Michx.), *73*
Sparks, Robert C., *77*
Stuart, W. B., *25*
Sugarberry (*Celtis laevigata*), *122*
Sugar maple (*Acer saccharum* Marsh.), *49*
Survival and height growth of sycamore following different site-preparation treatments, 185
Sweeney, James M., *103*
Sweetgum (*Liquidambar styraciflua* L.), *73, 122, 151*
Sycamore (*Platanus occidentalis* L.), *151, 185*

Talbert, John, *153*
Tang, R. C., *19*
Taxes, *88*
Texas and Louisiana loblolly pine study confirms importance of local seed sources, 127
Thinning, *15, 77*
Three Species of eucalyptus tested in Puerto Rico: five years after outplanting, 169
Timber production, *15, 60, 193*
Timber tax journal, *rev., 113*
Tree volume and taper functions for site-prepared plantations of slash pine, 139
Trenchii, Peter, III, *107*
Turkey oak (*Quercus laevis* Walt.), *98*

Use *of prescribed burning to enhance southern pine timber production, 15*

Van Lear, D. H., *118*
Vasievich, J. Michael, *12*
Vesicular-arbuscular fungi (*Glomus spp.*), *151*
Virginia pine (*Pinus virginiana* Mill.), *36, 153*
Voeller, J. E., *73*

Water hickory (*Carya aquatica*), *122*
Water oak (*Quercus nigra*), *122*
Water pollution control, *2, 27*
Water quality laws in southern states: how they affect forestry, 2
Webb, Charles, *153*
Wendel, G. W., *49*
Whalen, J. B., *98*
White, Gordon, *153*
White, Zebulon, W., *113*
White oak (Quercus alba L.), *73*
White pine (*Pinus strobus* L.), *36, 158*
White-tailed deer (*Odocoileus virginianus*), *98*
Whitmore, Jacob L., *169*
Wildlife, *98, 174*
Williamson, J. Howard, *174*
Willow oak (*Quercus phellos*), *122*
Wittwer, R. F., *19*
Woods, Frank W., *70*

Year*-round hardwood control using the hypo-hatchet injector, 73*
Yellow-poplar (*Liriodendron tulipifera* L.), *49, 158*
Yoho, Noel S., *27*
Young, J. F., *73*